

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	2	((("5359236") or ("4799176")).PN.	USPAT; USOCR	OR	OFF	2004/12/06 07:59
S6	1	("5838578").PN.	USPAT; USOCR	OR	OFF	2004/12/01 06:51
S7	735	(716/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/12 13:02
S8	3	716/1.ccls. and sensor and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:57
S9	34	"716"/\$.ccls. and sensor and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/22 09:49
S10	25766	(sensor same temperature) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:36
S11	584	(sensor same temperature) and ((stop\$6 or halt\$6 or interrupt\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S12	5184	(sensor same temperature) and ((stop\$6 or halt\$6 or interrupt\$6) same (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S13	7	"716"/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:14
S14	3420	(sensor same temperature) and ((stop\$6 or halt\$6 or paus\$5) same (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:38

S15	228	(sensor same temperature) and ((stop\$6 or halt\$6 or paus\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S16	223	(sensor same temperature) and ((stop\$6 or halt\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S17	12	(sensor same temperature) and ((halt\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:16
S18	26023	((fail adj safe adf sensor) same (temperature)) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:37
S19	1284	((fail adj safe adf sensor) same (temperature)) and (halt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:37
S20	1	(fail adj safe adj sensor) and (temperature) and (halt\$6) and (respon\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:41
S21	3	(fail adj safe adj sensor) and (temperature) and (halt\$6 or stop\$6 or paus\$5) and (respon\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:43
S22	7	"716"/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 08:49
S23	8	"716"/\$.ccls. and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:36
S24	7	"716"/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 08:52

S25	5	"716"/\$.ccls. and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and threshold and (exceed\$6 or over) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:37
S26	947	(integrated adj circuit) and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and threshold and (exceed\$6 or over) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:39
S27	27	(integrated adj circuit) and (sensor same temperature) and (stop\$6 or halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:40
S28	32	(integrated adj circuit) and (sensor and temperature) and (stop\$6 or halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:40
S29	3	(integrated adj circuit) and (sensor and temperature) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:40
S30	2	(integrated adj circuit) and (sensor same temperature) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:41
S31	3	(integrated adj circuit) and (sensor) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:41
S32	6	(integrated adj circuit) and (sens\$4) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:42
S33	4	(integrated adj circuit) and (temperature same sens\$4) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:44
S34	33	(integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:13

S35	4	((("5586270") or ("5359236") or ("5195827") or ("4789819"))).PN.	USPAT; USOCR	OR	OFF	2004/01/30 11:06
S36	22	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921" ) and clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:14
S37	32	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921" ) and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:16
S38	50	((("5838578") or ("6393374") or ("6363490") or ("6316590") or ("5805403") or ("4,432,031") or ("4,442,972") or ("4,488,824") or ("5,077,491") or ("5,291,607") or ("4,789,819") or ("5,287,292") or ("5,255,149") or ("5,560,017") or ("5,440,305") or ("5,253,938") or ("4,591,855") or ("5,025,248") or ("5,064,296") or ("4,751,405") or ("5,008,771") or ("4,807,144") or ("4,779,161") or ("4,851,987") or ("4,924,112") or ("5,105,366") or ("5,453,682") or ("4,799,176") or ("5,287,292") or ("5,451,892") or ("4,787,007") or ("4,903,106") or ("4,935,864") or ("5,087,870") or ("5,149,199") or ("5,170,344") or ("5,283,631") or ("5,325,256") or ("5,359,236") or ("5,085,526") or ("5,195,827") or ("5,586,270") or ("5,189,314") or ("5,359,234") or ("5,422,832") or ("5,483,102") or ("5,838,578") or ("5,490,059") or ("5,723,998") or ("5,485,127") or ("4,893,097") or ("5,798,667"))).PN.	USPAT; USOCR	OR	OFF	2004/06/09 07:05
S43	141692	sensor and @ad<="19930921" and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:01
S44	15	sensor and @ad<="19930921" and (temperature) and ((intel adj corp\$9).as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:04

S45	288	sensor and @ad<="19930921" and (temperature) and ((motorola).as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:04
S46	11	sensor and @ad<="19930921" and (temperature) and ((advanced adj micro adj devices).as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 10:24
S47	7	(sensor and @ad<="19930921" and (temperature) and ((advanced adj micro adj devices).as.)) and (stop\$6 or halt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:06
S48	52	(sensor and @ad<="19930921" and (temperature) and ((motorola).as.)) and (stop\$6 or halt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:12
S49	6	(sensor with (threshold adj temperature) with (stop\$6 or halt\$5)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 10:27
S50	13	(sensor same (threshold adj temperature) same (stop\$6 or halt\$5)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 10:28
S51	194	sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 11:22
S52	20	(sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<="19930921" ) and fail and safe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 11:23
S53	11	(sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<="19930921" ) and (fail with safe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 11:23
S54	5	((("4789819") or ("5359236") or ("4799176") or ("5433081") or ("5452335")).PN.	USPAT; USOCR	OR	OFF	2004/06/14 06:46
S55	1	("6501184").PN.	USPAT; USOCR	OR	OFF	2005/06/14 13:59

S56	1	("20030139035").PN.	US-PGPUB; USOCR	OR	OFF	2005/06/14 11:39
S63	3	((("4789819") or ("5359236")) or ("4799176")).PN.	USPAT; USOCR	OR	OFF	2004/06/14 06:46
S64	19	((fail\$5 adj saf\$5) with (halt\$6 or stop\$6 or interrupt\$6) with (temperature)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 06:44
S65	1	("5357568").PN.	USPAT; USOCR	OR	OFF	2004/12/01 06:52
S69	28	716/1.ccls. and (fail\$5) and (halt\$6 or stop\$6 or interrupt\$6) and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 07:46
S70	4	((("4799176") or ("5085526")) or ("5255149") or ("5051936")).PN.	USPAT; USOCR	OR	OFF	2004/12/06 12:31
S71	8337	"340"/\$.ccls. and (sensor or indicator) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:59
S73	2591	"340"/\$.ccls. and (sensor or indicator) and (stop\$6 or halt\$6 or interrupt\$6) and clock and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:59
S74	32	"340"/\$.ccls. and (sensor or indicator) and (stop\$6 or halt\$6 or interrupt\$6) and clock and ((threshold or maximum) adj temperature) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:52
S77	2	((sensor or indicator) same (stop\$6 or halt\$6 or interrupt\$6) same clock same ((threshold or maximum) adj temperature)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:04
S78	317	(sensor or indicator) and (stop\$6 or halt\$6 or interrupt\$6) and clock and ((threshold or maximum) adj temperature) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:15
S79	51	S78 and safe and fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:14



S80	17982	(heat\$6 or cool\$6) with (timer or clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:15
S81	9516	S80 and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:29
S82	149041	(temperature near3 (sens\$5 or detect\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:17
S83	103	S82 and clock and (thermal adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:17
S84	10	S83 and (clock same (stop\$6 or halt\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:20
S85	0	S83 and (clock same (stop\$6 or halt\$6)) and (fail\$6 same saf\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:25
S86	4103	(fail\$6 with saf\$6 with sens\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:29
S87	16	S86 and (thermal adj sens\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:25
S88	0	S87 and (clock same (stop\$6 or halt\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:26
S89	0	S87 and (stop\$6 or halt\$6) and clock\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:30

S90	1	S87 and (stop\$6 or halt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:26
S91	652	(fail\$6 with saf\$6 with sens\$5) same (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:29
S92	355	S91 and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:29
S93	30	S92 and (stop\$6 or halt\$6) and clock\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:30
S94	28	S93 and ((thermal or temperature) near3 sens\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 12:20
S97	1	("6764884").PN.	USPAT; USOCR	OR	OFF	2005/06/14 13:59